



Derma  
Consult  
GmbH  
Gesellschaft zur Prüfung von  
Dermatika

DC Brunnenstraße 61 53347 Alfter Germany

Phone: +49 - (0)2222 / 9108 - 10  
Fax: +49 - (0)2222 / 9108 - 40  
E-mail: info@dermaconsult.com  
Web: www.dermaconsult.com  
Date: 10.04.2007

## Expertise

Examination of the Product

**“Bio-Circle Liquid”**

*Concentration: undiluted*

by Human Patch Test (Cosmetic Trial)

*Sponsor*

**CB Chemie und Biotechnologie GmbH**

Berensweg 200  
33334 Gütersloh  
Germany

*Performing Laboratory*

**Derma Consult GmbH**

Brunnenstr. 61  
53347 Alfter  
Germany

## Study Details

*Type of study.....:* Determination of irritating effects to the skin with an occlusive patch test.  
*Study Period.....:* April 2007  
*Study Director.....:* Dr. med. H. Prieur  
*Test subjects.....:* 50 (22-61 years; sex distribution non-standardized)  
25 normal healthy, 6 eczema, 1 allergy and 18 subjects with sensitive skin  
*Test site.....:* Back  
*Concentration.....:* Undiluted  
*Controls.....:* SDS (1% in water), water

## Summary Results

All participants completed the study. Under the test conditions, SDS (1% in water) caused positive reactions in 11 subjects. The negative control water showed no reactions. None of the subjects showed any reaction to the test product. On the basis of the test results and under the test conditions, the product

**“Bio-Circle Liquid“**

is to be classified as 'harmless' as regards the possibility of skin irritation.

Signature:

Dr. med. H. Prieur  
Dermatologist - Allergist

Signature:

Dr. Hans-Peter Nissen  
Chemist – Ph.D.

manager: Dr. H. P. Nissen B. R. Nissen-Zoufal district court Bonn HRB 5272  
bank account: VR Bank Bonn account 6 106 665 018 BLZ 381 602 20  
IBAN: DE38 3816 0220 6106 6650 18 BIC: GENO DE D1 HBO

VAT-REG.No. DE 123369725  
Tax No. 222/5703/0374